

metal forming

compression molding

die spotting

blanking

drawing

die try-out

straightening

hobbing

assembly

forcing

friction molding

steel rule die cutting

bulldozing

trimming

compaction

laminating

briquetting

plastic molding

metal working

special work

composite molding

fluid forming

sheet molding

gluing / bonding

hot presses

superplastic forming

urethane forming

automation

Die Spotting Presses

100 TON CAPACITY

DOCUMENT 11026




Savage die spotting presses are available in many configurations to meet your needs and desires.

Illustrating both a basic no frills die spotting press and a die spotter with a shuttle bolster. Both presses have rack and pinion platen leveling or motion controlled leveling to insure parallel contact of dies and molds.



100 Ton Press with 120" x 96" platens and 120" daylight opening. Physical platen blocks allow tool maker to perform repairs in the press.



100 Ton Die Casting Die Spotter with 168" x 96" opening between the uprights and a shuttle bolster. Allows lower die repairs outside of the press. Shown with 30 ton die casting die.

- Down-acting clamp capacities to customer specifications
- Bed sizes and daylight openings to customer specifications
- T-slotted bolsters or T-slotted shuttle bolsters
- Shuttle table allows repair of die/mold safely outside of the press
- Shuttle table also allows easy crane loading of dies and molds
- Ram position controllers (RPC) for .001" spotting accuracy
- Precision rack & gear leveling of platen

- Motion controlled electronic leveling available
- Bed sizes and daylight to suit application
- Lever or joystick operated hydraulics allow the operator more control over press motion
- Tryout presses available
- Compressed air quick disconnects for tools
- 120 volt duplex outlets for tool power takeoff

www.savagepress.com



SAVAGE ENGINEERING & SALES, INC.

4855 Chaincraft Road • Cleveland, Ohio 44125
Tel: 216.587.2885 • Fax: 216.587.0613